Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	excessive with database with cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L2	80	database with cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L3	6	database adj cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L4	113	database with cache adj2 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L5	38	database with cache adj2 query with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L6	20	database with cache adj2 query with result and update adj2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/08 09:07
L7	1	("20040193574").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/08 09:07
L8 	10	user with set with update adj condition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:07

			<u>-</u>			
L9	10	cache with update adj condition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:07
L10	414	multiple adj application adj servers	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:07
L11	0	multiple adj application adj servers with update	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:07
L12	13	multiple adj application adj servers same update	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:07
L13	37	(updat\$3 near2 cache) same database with record with updat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:23
L14	0	(updat\$3 near2 cache) same database with record with updat\$3 same count	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2007/01/08 09:23
L15	6	(updat\$3 near2 cache) same database with record with updat\$3 same time	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:26
L16	9	(updat\$3 near2 cache) same database with record with updat\$3 same number	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:35
L17	1	(updat\$3 near2 cache) same database with record with updat\$3 with number	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:26
L18	326	(updat\$3 near2 cache) with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:36

		LAST Scare	•			
L19	15	(updat\$3 near2 cache) with database with (number count)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:37
L20	31	updat\$3 with cache with upon with database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 09:46
L21	1	("5748985").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/08 10:07
L22	26	((refresh\$3 updat\$3) near cache) same (database with record with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/08 10:11
S1	0	excessive with database with cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:56
S2	73	database with cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:13
53	6	database adj cache with refresh\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:57
S4	100	database with cache adj2 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/07/07 15:13
S5	37	database with cache adj2 query with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		ON	2006/07/07 15:40

S6	20	database with cache adj2 query with result and update adj2 cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:41
S7	1	("20040193574").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/07/09 18:12
S8	10	user with set with update adj condition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/09 18:16
S9	9	cache with update adj condition	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/09 18:18
S10	357	multiple adj application adj servers	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/09 18:19
S11	0	multiple adj application adj servers with update	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/09 18:19
S12	12	multiple adj application adj servers same update	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/09 18:19